

# NAC-2601/2601B

Analog Lawn Speaker



NAC-2601




NAC-2601B

## MAIN FUNCTIONS

(1) Lawn speaker, high-quality waterproof garden stone shaped glass steel shell speaker, coaxial speaker design, full sound quality, suitable for all kinds of landscape residential areas, leisure occasions.

(2) Lawn speakers can be directly connected to 100V line output. The jumper connector of its 100V transformer primary winding can be used for power setting. Users can implement power selection, and can be used for different power Settings. Users can easily achieve two power choices.

## Circuit Diagram




### Wiring:

When wiring, power amplifier output COM needs to be connected with the black line, and power amplifier 100V output needs to be connected with the corresponding line

Such as:

With rated power of 30W, COM is connected to the black line and 100V is connected to the white line.

With 15W rated power, COM is connected to the black line, and 100V is connected to the green line.





## SPECIFICATION

| NAC-2601/2601B      |                              |                                                      |
|---------------------|------------------------------|------------------------------------------------------|
| Electric Parameters | Speaker unit                 | 6.5 inch coaxial PP basin                            |
|                     | Max power rate               | 45W                                                  |
|                     | Rated Power(PHC)             | 30W                                                  |
|                     | Frequency(1kHz, 1meter)      | 95dB±3dB                                             |
|                     | Valid Frequency range(-10dB) | 120-16kHz                                            |
|                     | Rated Voltage                | 100V                                                 |
|                     | Cable                        | 3-cable                                              |
| Product Information | Color of input port          | black , white , green                                |
|                     | Product Size                 | 330(L)×250(W)×270 (H)mm                              |
|                     | Weight                       | 5Kg                                                  |
| Raw Material        | Installation method          | Screw holder                                         |
|                     | Shell                        | Marble-colored fiberglass or earth yellow fiberglass |
| Work Information    | Working temperature          | -25°C~+55°C                                          |
|                     | Working humidity             | -40°C~+70°C                                          |
|                     | Relative humidity            | < 95%                                                |


## APPLICATION

The analog lawn speaker NAC-2601/2601B can be connected with constant voltage amplifier for receiving broadcast or announcement from server software or IP paging mic .




# INSTALLATION


Bottom Size



Dig a hole



Make cement holder



Install

