



SAP-C115C

Single 15-inch Subwoofer Speaker

Low-Frequency
1x15"

98dB Sensitivity

MAIN FEATURES

- Strong penetration and large dynamic range;
- The bass is clean and powerful, allowing the sound to be fully realized;
- Compact structure and small space occupied;
- There is a bracket hole on the top, which can be used with full-range speakers. Applied in indoor performances, multipurpose halls, banquet halls, conference rooms, and other venues, it can demonstrate excellent speech clarity, allowing for point-to-point processing of sound field effects according to the on-site conditions.

SPECIFICATION

POWER PARAMETERS

Rated Power Output:	500W
Max Power Output:	2000W
Rated Impedance:	8Ω

AUDIO PARAMETERS

Speaker Component:	Low-Frequency: 1×15" Subwoofer
Frequency Response:	35Hz-200kHz
Sensitivity:	98dB
Max.SPL:	131dB
Connector:	2×Speakon NL4MP(1+, 1-)

MECHANICAL&ENVIRONMENT PROPERTIES

Mounting Method:	Bracket, Suspension, Wall Mount
Installation Environment:	Indoor Locations
Operating Temperature:	0°C~+55°C
Operating Humidity:	< 95%
Cabinet Material:	High-Density Premium Birch Plywood
Surface Coating:	Black Wear-Resistant, Eco- Friendly, Fire-Retardant Water- Based Paint
Product Dimensions:	470(H)x690(W)x496(D) (mm)
Product Weight:	38.5kg
Product Warranty:	2 Years

ACCESSORIES

1×Subwoofer Speaker
2×Speakon NL4MP
1×Quick Installation Guide
1×Quality Certificate & Warranty Card

CONNECTION DIAGRAM

SPON SAP-D2160A
Professional Amplifier